

STABILA Messgeräte
Gustav Ullrich GmbH
Landauer Str. 45
76855 Annweiler, Germany
☎ +49 6346 309-0
☎ +49 6346 309-480
✉ info@stabila.de
www.stabila.de

STABILA®



**Declaration of warranty
for STABILA spirit levels**

In addition to the statutory rights of buyers, which are not limited by this warranty, STABILA guarantees that the unit is free from defects and has assured features in the event of material or manufacturing defects for a period of 10 years from the date of purchase. Any defects / errors will be remedied at our discretion through reworking or replacement. STABILA will not assume liability for further claims. Defects resulting from improper handling or unauthorised modifications of the unit by the buyer or a third party shall invalidate the warranty. STABILA does not provide a warranty for natural signs of wear and minor defects that do not affect the operation of the unit.



See all products at
www.stabila.de



www.youtube.com/StabilaTools



www.facebook.com/STABILA.international



Our technical support team will assist you with all questions relating to product selection and use.
Phone +49 6346 309-0. You can of course also e-mail us at info@stabila.de.

EN 18914, 03/16
Errors or changes in colour, technology
and equipment excepted.

**Telescopic spirit level type 80 T:
Always have the right length of level
to do the job**

“To be prepared for all potential problems, I always had to take several spirit levels with me onto the construction site.”

Sascha Hebing
S&H Montagetechnik






“Until now!”


The solution:

Telescopic spirit level type 80 T

Always have the right length of level to do the job: one spirit level now does the work of several.



Part 1: The long-term precision



STABILA installation technology

- 1 Vial
- 2 Vial block holder
- 3 Profile
- 4 Synthetic resin

The unique installation technology ensures long-term accuracy. In a special casting process, the components of the spirit level are firmly bonded forever. You can trust that your spirit level will maintain its accuracy for life.


It remains accurate, just as it was on the first day. No readjustments, no doubts. Always accurate measurements – even under the most difficult construction site conditions.

Adjusted with micrometre precision and unshakeably bonded



In STABILA spirit levels, the vial, the vial block holder and the measuring surfaces of the profile are adjusted precisely to one another in the production process and permanently bonded with synthetic resin. Only in this manner is it

guaranteed that all components are parallel and unshakeably aligned to one another so that the spirit level measures accurately even after many years of rugged use.



Printed metric scale to work out inner dimensions and clearances



Marking and cutting edge along entire length – measure and mark simultaneously, even when extended

Takes the place of up to 3 separate lengths – no need to carry around several spirit levels any more


2 lengths available:

- 63 cm, can be extended up to 105 cm
- 80 cm, can be extended up to 127 cm



High-quality telescopic system for extending the measuring surface – the spirit level can be flexibly set to the length needed

Integrated anti-slip stoppers allow for a firm hold when marking – the spirit level does not slip



Part 2: The application benefits



Thanks to the telescopic system, the tradesman can set the spirit level to precisely the length needed for the job.

Telescopic spirit level type 80 T

Made in
Germany

Accuracy in normal position

0.029° = ±0.5 mm/m (closed)
0.057° = ±1.0 mm/m (extended)

Accuracy in reverse position

0.043° = ±0.75 mm/m (closed)
0.057° = ±1.0 mm/m (extended)

Measuring surfaces

1 X

Vial type

1 x horizontal
1 x vertical

End caps

With anti-slip stoppers

Special features

Telescopic system
LOCK system
Printed metric scale

Lengths

63 – 105 cm

80 – 127 cm

Art. no. / GTIN (4005069...)

18879/5

18880/1

