SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LIBERON - STONE FLOOR SHINE - 1 L Product code : 004427

1.2. Relevant identified uses of the substance or mixture and uses advised against

Floor care product

1.3. Details of the supplier of the safety data sheet

Registered company name : LIBERON Ltd Address : .Mountfield Industrial Estate KENT TN28 8XU NEW ROMNEY GB Telephone : + (44) 1797 367 555. Fax: + (44) 1797 367 575. Telex: . fds.produits@v33.com www.liberon.co.uk

1.4. Emergency telephone number : .

Association/Organisation : .

Other emergency numbers

UK - National Poisons Information Service

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :	
EUH208	Contains TRIISOBUTYL PHOSPHATE. May produce an allergic reaction.
EUH208	Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.
EUH208	Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H
	-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.
Precautionary statements	- General :
P102	Keep out of reach of children.
Precautionary statements	- Prevention :
P271	Use only outdoors or in a well-ventilated area.
Precautionary statements	- Disposal :
P501	Dispose of contents/container to a waste collection center (contact the local authority)

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition	:	
-------------	---	--

Identification	(EC) 1272/2008	Note	%
INDEX: Z346	GHS07, GHS08	[1]	0 <= x % < 2.5
CAS: 107-21-1	Wng		
EC: 203-473-3	Acute Tox. 4, H302		
REACH: 01-2119456816-28	STOT RE 2, H373		
ETHYLENE GLYCOL			
INDEX: Z009	GHS07	[1]	0 <= x % < 2.5
CAS: 126-71-6	Wng		

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) LIBERON - STONE FLOOR SHINE - 1 L - 004427		Version 1.1 (14-05-2019) - Page 2/7
EC: 204-798-3	Skin Sens. 1, H317	
TRIISOBUTYL PHOSPHATE		
INDEX: 613_088_006B	GHS06, GHS05, GHS09	0 <= x % < 0.05
CAS: 2634-33-5	Dgr	
EC: 220-120-9	Acute Tox. 4, H302 Skin Irrit. 2, H315	
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317	
	Eye Dam. 1, H318	
	Acute Tox. 2, H330	
	Aquatic Chronic 2, H411	
	Aquatic Acute 1, H400	
	M Acute = 1	
INDEX: Z117	GHS06, GHS05, GHS09	0 <= x % < 0.0015
CAS: 55965-84-9	Dgr	
REACH: 01-2120764691-48	Acute Tox. 3, H301	
	Acute Tox. 2, H310	
REACTION MASS OF:	Skin Corr. 1B, H314	
5-CHLORO-2-METHYL-4-ISOTHIAZOLI	Skin Sens. 1A, H317	
N-3-ONE AND 2-METHYL-2H	Eye Dam. 1, H318	
-ISOTHIAZOL-3-ONE (3:1)	Acute Tox. 2, H330	
	Aquatic Acute 1, H400	
	M Acute = 100	
	Aquatic Chronic 1, H410	
	M Chronic = 10	

(Full text of H-phrases: see section 16)

Information on ingredients :

S L

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Do not allow to freeze

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) : CAS VME-mg/m3: VME-ppm: VLE-mg/m3: VLE-ppm : Notes : 107-21-1 52 20 104 40 Peau - Germany - AGW (BAuA - TRGS 900, 29/01/2018) : CAS VME : VME : Excess Notes 107-21-1 10 ppm 2(I) 26 ma/m³ 126-71-6 50 mg/m³ 2(II) - France (INRS - ED984 :2016) : VME-mg/m3 : VLE-ppm : VLE-mg/m3: TMP No : CAS VME-ppm: Notes : 107-21-1 20 52 40 104 84 - Switzerland (SUVAPRO 2017) : CAS VME VLE Valeur plafond Notations 107-21-1 10 ppm 20 ppm R SSC 26 mg/m³ 52 mg/m³ - UK / WEL (Workplace exposure limits, EH40/2005, 2011) : CAS Definition · TWA : STEL : Criteria : Ceiling : 107-21-1 20 ppm 40 ppm

	TA SHEET (REGULATI STONE FLOOR SHINE	DN (EC) n° 1907/2006 - REACH) 1 L - 004427		V	ersion 1.1 (14-05-2019) - Page 4/
	52 mg/m ³	104 mg/m ³			
8.2. Expos	sure controls	· · · ·		;	
Personal p	protection measures,	uch as personal protective equi	oment		
Use pers	sonal protective equipm	ent that is clean and has been prop	erly maintained.		
Store pe	ersonal protective equip	nent in a clean place, away from th	e work area.		
	at, drink or smoke durin lly in confined areas.	use. Remove and wash contamin	ated clothing before re	e-using. Ensure that	there is adequate ventilation,
- Eye / fac	e protection				
Avoid co	ontact with eyes.				
Use eye	protectors designed to	protect against liquid splashes			
Before h	handling, wear safety go	ggles in accordance with standard l	EN166.		

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Type of gloves recommended :
- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :
- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

<u> </u>		
General	inform	ation .
oonorai		au 011 1

Fluid liquid.
tion
8.50 +/-0.5.
Slightly basic.
Not relevant.
Not relevant.
Not relevant.
1-1.05
Dilutable.
Not relevant.
Not relevant.
Not relevant.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

2-butoxyethanol and its acetate are absorbed directly through the skin and have harmful effects on the blood.

11.1.1. Substances

Acute toxicity :

REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9) LD50 = 66 mg/kg Oral route : OCDE Ligne directrice 401 (Toxicité aiguë par voie orale)

Dermal route :

LD50 > 141 mg/kg OCDE Ligne directrice 402 (Toxicité aiguë par voie cutanée)

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances	
REACTION MASS OF: 5-CHLORO-2-I	METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9)
Fish toxicity :	LC50 = 0.22 mg/l
-	Factor M = 1
	Species : Oncorhynchus mykiss
	Duration of exposure : 96 h
	OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)
	NOEC = 0.098 mg/l
	Factor M = 1
	Species : Oncorhynchus mykiss
	OCDE Ligne directrice 210 (Poisson, essai de toxicité aux premiers stades de
	la vie)
Crustacean toxicity :	EC50 = 0.0052 mg/l
	Factor M = 100
	Species : Others
	Duration of exposure : 48 h
	Autres lignes directrices
	NOEC = 0.004 mg/l
	Factor M = 10
	Species : Daphnia magna
	Duration of exposure : 21 jours
	OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)
Algae toxicity :	ECr50 = 0.048 mg/l
	Factor M = 10
	Species : Pseudokirchnerella subcapitata
	Duration of exposure : 72 h
	NOEC = 0.0012 mg/l
	Factor M = 10
	Species : Pseudokirchnerella subcapitata

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 -	REACH)	Version 1.1 (14-05-2019) - Page 6/7
LIBERON - STONE FLOOR SHINE - 1 L - 004427		
	OCDE Ligne directrice 201	(Algues, Essai d'inhibition de la croissance)
12.1.2. Mixtures		
No aquatic toxicity data available for the mixture.		
12.2. Persistence and degradability		
12.2.1. Substances		
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOT Biodegradability :		THYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9) lable, the substance is considered as not
1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)		
Biodegradability :	Rapidly degradable.	
12.3. Bioaccumulative potential		
12.3.1. Substances		
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOT	HIAZOLIN-3-ONE AND 2-ME	THYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9)
Octanol/water partition coefficient :	log Koe <= 0.71	
	OCDE Ligne directrice 117 HPLC)	(Coefficient de partage (n-octanol/eau), méthode
Bioaccumulation :	BCF = 3.16	
12.4. Mobility in soil		
No data available.		
12.5. Results of PBT and vPvB assessment		
No data available.		

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

```
14.1. UN number
-
```

```
14.2. UN proper shipping name
```

```
-
```

```
14.3. Transport hazard class(es)
```

14.4. Packing group

```
-
```

- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user
- -

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

Toxic if swallowed.
Harmful if swallowed.
Fatal in contact with skin.
Causes severe skin burns and eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Fatal if inhaled.
May cause damage to organs through prolonged or repeated exposure.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.