## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

#### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : LIBERON - CLEAR GARDEN FURNITURE OIL - Clear - 1 L Product code : 003781

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use descriptor system (REACH) :

Paints, varnishes and related products coating with layered application.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : LIBERON Ltd Address : .Mountfield Industrial Estate KENT TN28 8XU NEW ROMNEY GB Telephone : + (44) 1797 367 555. Fax: + (44) 1797 367 575. Telex: . fds.produits@v33.com www.liberon.co.uk

## 1.4. Emergency telephone number : .

Association/Organisation : .

## Other emergency numbers

UK/NI: 111 - Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

Republic of Ireland : +353 (0)1 809

2166 - Emergency medical information: 8am-10pm (seven days) contact NPIC, Beaumont Hospital, Dublin 9 DOV2NO, Ireland.

#### **SECTION 2 : HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Repeated exposure may cause skin dryness or cracking (EUH066).

Aspiration hazard, Category 1 (Asp. Tox. 1, H304).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word :	
DANGER	
Product identifiers :	
EC 926-141-6	HYDROCARBONS, C11-C14, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS
Hazard statements :	
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements - Ge	eneral :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Pr	revention :
P271	Use only outdoors or in a well-ventilated area.
Precautionary statements - Re	esponse :
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/
P331	Do NOT induce vomiting.

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) LIBERON - CLEAR GARDEN FURNITURE OIL - Clear - 1 L - 003781

Precautionary statements - Disposal :

Dispose of contents/container to a waste collection center (contact the local authority)

### 2.3. Other hazards

P501

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

#### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2. Mixtures

#### Composition :

Identification	(EC) 1272/2008	Note	%
INDEX: Z473	GHS08		25 <= x % < 50
EC: 926-141-6	Dgr		
REACH: 01-2119456620-43	Asp. Tox. 1, H304		
	EUH:066		
HYDROCARBONS, C11-C14,			
N-ALKANES, ISOALKANES, CYCLICS,			
<2% AROMATICS			
INDEX: Z472	GHS08		10 <= x % < 25
EC: 918-481-9	Dgr		
REACH: 01-2119457273-39	Asp. Tox. 1, H304		
	EUH:066		
HYDROCARBONS, C10-C13,			
N-ALKANES, ISOALKANES, CYCLICS,			
<2% AROMATICS			
INDEX: Z470	GHS07, GHS08, GHS02		0 <= x % < 2.5
EC: 919-857-5	Dgr		
REACH: 01-2119463258-33	Flam. Liq. 3, H226		
	Asp. Tox. 1, H304		
HYDROCARBONS, C9-C11,	STOT SE 3, H336		
N-ALKANES, ISOALKANES, CYCLICS,	EUH:066		
<2% AROMATICS			
INDEX: Z756	GHS08	[2]	0 <= x % < 1
CAS: 22464-99-9	Wng		
EC: 245-018-1	Repr. 2, H361d		
REACH: 01-2119979088-21			
2-ETHYLHEXANOIC ACID, ZIRCONIUM			
SALT			

#### Information on ingredients :

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

#### 4.1. Description of first aid measures

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc. In the event of an allergic reaction, seek medical attention.

## In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

If swallowed accidentally, do not allow to drink, do not induce vomiting and transfer to hospital immediately by ambulance. Show the label to the doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

#### Suitable methods of extinction

- In the event of a fire, use :
- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

#### Unsuitable methods of extinction

- In the event of a fire, do not use :
- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

- Do not breathe in smoke.
- In the event of a fire, the following may be formed :
- carbon monoxide (CO)
- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available.

#### **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

## **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention :

Handle in well-ventilated areas.

Never inhale this mixture.

#### Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

## No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Workers.

Long term systemic effects.

208 mg/kg body weight/day

Long term systemic effects.

Consumers.

Long term systemic effects.

125 mg/kg body weight/day

Long term systemic effects.

125 mg/kg body weight/day

Long term systemic effects.

185 mg of substance/m3

871 mg of substance/m3

Dermal contact.

Inhalation.

Ingestion.

Dermal contact.

Inhalation.

#### Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### No data available.

#### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

Final use: Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Final use:

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

Exposure method: Potential health effects: DNEL :

#### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166.

Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

Recommended properties :

- Impervious gloves in accordance with standard EN ISO 374-2

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact. Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

#### General information :

Physical state :	Fluid liquid.
Important health, safety and environmental information	on
pH :	Not relevant.
Boiling point/boiling range :	Not relevant.
Flash Point :	66.50 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	0.85-0.95
Water solubility :	Insoluble.
Viscosity:	v < 7 mm2/s (40°C)
	Method for determining the viscosity :
	ISO 3104 (Petroleum products - Transparent and opaque liquids -
	Determination of kinematic viscosity and calculation of dynamic
	viscosity).
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.

## 9.2. Other information

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

#### 10.1. Reactivity

#### No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

## 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness. Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 .IBERON - CLEAR GARDEN FURNITURE OIL - Clear - 1 L		Version 3.1 (12-10-2020) - Page 6/9
absorption through the skin. Splashes in the eyes may cause irritation and reversibl Aspiration toxicity includes severe acute effects such a	-	nonary injury or death following aspiration.
11.1.1. Substances		
Acute toxicity :		
HYDROCARBONS, C9-C11, N-ALKANES, ISOALKAN Oral route :	IES, CYCLICS, <2% AROMATICS LD50 > 5000 mg/kg	
	Species : Rat OECD Guideline 401 (Acute Oral Toxicity)	
Dermal route :	LD50 > 5000 mg/kg Species : Rabbit	
	OECD Guideline 402 (Acute Dermal Toxicity	)
Inhalation route (Vapours) :	LC50 > 5000 mg/l	
	Species : Rat OECD Guideline 403 (Acute Inhalation Toxic	sity)
HYDROCARBONS, C10-C13, N-ALKANES, ISOALKA		
Oral route :	LD50 > 5000 mg/kg	
	Species : Rat OECD Guideline 401 (Acute Oral Toxicity)	
Dermal route :	LD50 > 2000 mg/kg	
	Species : Rat	
	OECD Guideline 402 (Acute Dermal Toxicity	)
Inhalation route (Vapours) :	LC50 > 5000 mg/m3	
	Species : Rat OECD Guideline 403 (Acute Inhalation Toxic	ы <b>н</b> Л
2-ETHYLHEXANOIC ACID, ZIRCONIUM SALT (CAS:	No mutagenic effect.	
HYDROCARBONS, C9-C11, N-ALKANES, ISOALKAN	IES, CYCLICS, <2% AROMATICS No mutagenic effect.	
Carcinogenicity :		
HYDROCARBONS, C9-C11, N-ALKANES, ISOALKAN		
Carcinogenicity Test :	Negative. No carcinogenic effect.	
Poproductive toxicont :		
Reproductive toxicant : 2-ETHYLHEXANOIC ACID, ZIRCONIUM SALT (CAS:	22464-99-9)	
Suspected of damaging the unborn child.		
11.1.2. Mixture		
Aspiration hazard :		
May be fatal if swallowed and enters airways.	- chamical provincial comica decreas of actin	enner inium er docth felleving oppiration
Aspiration toxicity includes severe acute effects such as Monograph(s) from the IARC (International Agency fo	r Research on Cancer) :	ionary injury or death ionowing aspiration.
CAS 128-37-0 : IARC Group 3 : The agent is not classi	nable as to its carcinogenicity to humans.	
ECTION 12 : ECOLOGICAL INFORMATION		
12.1. Toxicity		
12.1.1. Substances		
HYDROCARBONS, C9-C11, N-ALKANES, ISOALKAN		
Fish toxicity :	LC50 > 1000 mg/l Species : Oncorhynchus mykiss	

on of exposure : 96 h 9 Guideline 203 (Fish, Acute Toxicity Test) 2 = 0.23 mg/l 2s : Oncorhynchus mykiss on of exposure : 28 days > 1000 mg/l 2s : Daphnia magna on of exposure : 48 h 9 Guideline 202 (Daphnia sp. Acute Immobilisation Test) 2 = 0.13 mg/l 2s : Daphnia magna on of exposure : 21 days 0 > 1000 mg/l 2s : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) 2 = 3 mg/l 2s : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) 3 = 3 mg/l 2s : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l 2s : Oncorhynchus mykiss on of exposure : 96 h 9 Guideline 203 (Fish, Acute Toxicity Test)
<pre>2 = 0.23 mg/l es : Oncorhynchus mykiss on of exposure : 28 days &gt; 1000 mg/l es : Daphnia magna on of exposure : 48 h 0 Guideline 202 (Daphnia sp. Acute Immobilisation Test) 2 = 0.13 mg/l es : Daphnia magna on of exposure : 21 days 0 &gt; 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) 2 = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) 2 = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, &lt;2% AROMATICS &gt; 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h</pre>
es : Oncorhynchus mykiss on of exposure : 28 days > 1000 mg/l es : Daphnia magna on of exposure : 48 h 0 Guideline 202 (Daphnia sp. Acute Immobilisation Test) C = 0.13 mg/l es : Daphnia magna on of exposure : 21 days 0 > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
on of exposure : 28 days > 1000 mg/l as : Daphnia magna on of exposure : 48 h 9 Guideline 202 (Daphnia sp. Acute Immobilisation Test) C = 0.13 mg/l es : Daphnia magna on of exposure : 21 days 0 > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
> 1000 mg/l es : Daphnia magna on of exposure : 48 h 9 Guideline 202 (Daphnia sp. Acute Immobilisation Test) 2 = 0.13 mg/l es : Daphnia magna on of exposure : 21 days 0 > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) 2 = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) 2 = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
es : Daphnia magna on of exposure : 48 h 9 Guideline 202 (Daphnia sp. Acute Immobilisation Test) c = 0.13 mg/l es : Daphnia magna on of exposure : 21 days 9 > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) c = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
on of exposure : 48 h 9 Guideline 202 (Daphnia sp. Acute Immobilisation Test) 2 = 0.13 mg/l es : Daphnia magna on of exposure : 21 days 9 > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) 2 = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
<ul> <li>9 Guideline 202 (Daphnia sp. Acute Immobilisation Test)</li> <li>c = 0.13 mg/l</li> <li>es : Daphnia magna</li> <li>on of exposure : 21 days</li> <li>0 &gt; 1000 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>0 Guideline 201 (Alga, Growth Inhibition Test)</li> <li>c = 3 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>0 Guideline 201 (Alga, Growth Inhibition Test)</li> <li>c = 3 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>0 Guideline 201 (Alga, Growth Inhibition Test)</li> <li>YCLICS, &lt;2% AROMATICS</li> <li>&gt; 1000 mg/l</li> <li>es : Oncorhynchus mykiss</li> <li>on of exposure : 96 h</li> </ul>
<ul> <li>c = 0.13 mg/l</li> <li>es : Daphnia magna</li> <li>on of exposure : 21 days</li> <li>0 &gt; 1000 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>0 Guideline 201 (Alga, Growth Inhibition Test)</li> <li>c = 3 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>0 Guideline 201 (Alga, Growth Inhibition Test)</li> <li>c = 3 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>0 Guideline 201 (Alga, Growth Inhibition Test)</li> <li>YCLICS, &lt;2% AROMATICS</li> <li>&gt; 1000 mg/l</li> <li>es : Oncorhynchus mykiss</li> <li>on of exposure : 96 h</li> </ul>
es : Daphnia magna on of exposure : 21 days 0 > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) c = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
on of exposure : 21 days ) > 1000 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h ) Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h ) Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
<ul> <li>&gt; 1000 mg/l</li> <li>as : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>Guideline 201 (Alga, Growth Inhibition Test)</li> <li>c = 3 mg/l</li> <li>as : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>Guideline 201 (Alga, Growth Inhibition Test)</li> <li>YCLICS, &lt;2% AROMATICS</li> <li>&gt; 1000 mg/l</li> <li>as : Oncorhynchus mykiss</li> <li>on of exposure : 96 h</li> </ul>
es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) c = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
<ul> <li>Guideline 201 (Alga, Growth Inhibition Test)</li> <li>C = 3 mg/l</li> <li>es : Pseudokirchnerella subcapitata</li> <li>on of exposure : 72 h</li> <li>O Guideline 201 (Alga, Growth Inhibition Test)</li> <li>YCLICS, &lt;2% AROMATICS</li> <li>&gt; 1000 mg/l</li> <li>es : Oncorhynchus mykiss</li> <li>on of exposure : 96 h</li> </ul>
C = 3 mg/l es : Pseudokirchnerella subcapitata on of exposure : 72 h O Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
es : Pseudokirchnerella subcapitata on of exposure : 72 h 0 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
0 Guideline 201 (Alga, Growth Inhibition Test) YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
YCLICS, <2% AROMATICS > 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
> 1000 mg/l es : Oncorhynchus mykiss on of exposure : 96 h
es : Oncorhynchus mykiss on of exposure : 96 h
on of exposure : 96 h
•
c = 0.10 mg/l
es : Oncorhynchus mykiss
on of exposure : 28 days
guideline
> 1000 mg/l
es : Daphnia magna
on of exposure : 48 h
9 Guideline 202 (Daphnia sp. Acute Immobilisation Test)
c = 0.18 mg/l
es : Daphnia magna
on of exposure : 21 days
guideline
) > 1000 mg/l
es : Pseudokirchnerella subcapitata
on of exposure : 72 h 9 Guideline 201 (Alga, Growth Inhibition Test)
CLICS, <2% AROMATICS
gradability data is available, the substance is considered as not

#### 12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

### **SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

CAUTION: Risk of self-combustion. Wet with water any textiles or tools soiled with the product and dispose of them in a tightly closed container. **13.1. Waste treatment methods** 

#### - Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

#### **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

#### 14.1. UN number

14.2. UN proper shipping name

- -
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- ~
- 14.6. Special precautions for user

## **SECTION 15 : REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

- Container information:

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3). Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

## - Particular provisions :

No data available.

## 15.2. Chemical safety assessment

This product contains at least one substance with exposure scenarios. The RMM (risk management measures) and OC (Operating conditions) are included in the body of the SDS.

## **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3 :

v 1	
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
EUH066	Repeated exposure may cause skin dryness or cracking.

## Abbreviations :

DNEL : Derived No-Effect Level

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS08 : Health hazard

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.