

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK SUPER GLUE LIQUID Supercedes Date: 02-Sep-2022 Revision date 24-Oct-2022 Revision Number 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK SUPER GLUE LIQUID

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useThis product is a cyanoacrylate-based adhesive

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H335)

2.2. Label elements

Contains ethyl-2-cyanoacrylate



Signal word Warning

Hazard statements

United Kingdom - BE Page 1 / 12

Revision date 24-Oct-2022

Supercedes Date: 02-Sep-2022 Revision Number 1.04

H315 - Causes skin irritation.

BOSTIK SUPER GLUE LIQUID

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

EU Specific Hazard Statements

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Polymerises with evolution of heat. Will bond to skin. Bonds skin and eyes in seconds. Combustible liquid.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
ethyl-2-cyanoacrylate	(607-236-00- 9) 230-391-5	7085-85-0	80 - 100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	01-2119527766- 29-XXXX
Hydroquinone	(604-005-00- 4) 204-617-8	123-31-9	0.01 - <0.1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	01-2119524016- 51-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 2 / 12

Supercedes Date: 02-Sep-2022 Revision Number 1.04

SECTION 4: First aid measures

BOSTIK SUPER GLUE LIQUID

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

> release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Do not rub

Revision date 24-Oct-2022

affected area. Get medical attention if irritation develops and persists.

Skin contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Wash off immediately with soap and plenty of water for at least 15 minutes. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Do

not remove clothing if adhering to skin. Polymerises with evolution of heat.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the **Suitable Extinguishing Media**

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Bonds skin and eyes in seconds.

Hazardous combustion products Nitrogen oxides (NOx).

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

United Kingdom - BE Page 3/12

Supercedes Date: 02-Sep-2022 Revision Number 1.04

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Ensure adequate ventilation. Evacuate

personnel to safe areas. Avoid contact with skin, eyes or clothing. See section 8 for more

Revision date 24-Oct-2022

information.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

BOSTIK SUPER GLUE LIQUID

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containmentDo not use cloths for mopping up. Flood with water to complete polymerization and

scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. See section 8 for more information. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory

equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Recommended storage

temperature

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8° C.

7.3. Specific end use(s)

Specific use(s)

This product is a cyanoacrylate-based adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

United Kingdom - BE Page 4 / 12

Revision date 24-Oct-2022

Supercedes Date: 02-Sep-2022 Revision Number 1.04

8.1. Control parameters

BOSTIK SUPER GLUE LIQUID

Exposure Limits

Chemical name	European Union	United Kingdom
ethyl-2-cyanoacrylate	-	STEL: 0.3 ppm
7085-85-0		STEL: 1.5 mg/m ³
Hydroquinone	-	TWA: 0.5 mg/m ³
123-31-9		STEL: 1.5 mg/m ³

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Hydroquinone (123-31-9)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	3.33 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	2.1 mg/m³	

Derived No Effect Level (DNEL)			
Hydroquinone (123-31-9)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	1.66 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	1.05 mg/m³	
Consumer Long term Systemic health effects	Oral	0.6 mg/kg bw/d	

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Hydroquinone (123-31-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.57 μg/l
Freshwater - intermittent	1.34 μg/l
Marine water	0.057 μg/l
Freshwater sediment	0.0049 mg/kg dry weight
Marine sediment	0.00049 mg/kg dry weight
Soil	0.00064 mg/kg dry weight
Sewage treatment plant	0.71 mg/l

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

United Kingdom - BE Page 5 / 12

Supercedes Date: 02-Sep-2022 Revision Number 1.04

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves

Revision date 24-Oct-2022

depends on the material and the thickness as well as the temperature.

Skin and body protection Respiratory protectionWear suitable protective clothing.
None under normal use conditions.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourColourlessOdourCharacteristic.

BOSTIK SUPER GLUE LIQUID

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available Initial boiling point and boiling > 149 °C

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 80 °C

Autoignition temperature No data available None known

Decomposition temperature None known

Decomposition temperatureNo data availableNone knownPHNo data availableNone known

pH (as aqueous solution)

No data available

None known

Kinematic viscosity

No data available

No data available

None known

Dynamic viscosity No data available

Water solubility Reacts with water. Polymerisation can occur

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownVapour pressureNo data availableNone knownRelative densityNo data availableNone known

Bulk Density
No data available
Density
1.05 g/cm³

Relative vapour density

No data available

None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

United Kingdom - BE Page 6 / 12

Revision date 24-Oct-2022

Supercedes Date: 02-Sep-2022 Revision Number 1.04

10.2. Chemical stability

BOSTIK SUPER GLUE LIQUID

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials Alcohols. Alkali. Amines. Water.

10.6. Hazardous decomposition products

Hazardous decomposition

None under normal use conditions.

products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Bonds skin and eyes in

seconds. Causes serious eye irritation. (based on components). May cause redness,

itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Bonds skin and eyes in

seconds. Causes skin irritation. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name Oral LD50	Dermal LD50	Inhalation LC50
-------------------------	-------------	-----------------

United Kingdom - BE Page 7 / 12

BOSTIK SUPER GLUE LIQUID Supercedes Date: 02-Sep-2022 Revision date 24-Oct-2022 Revision Number 1.04

ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD	>2000 mg/Kg (Oryctolagus	<21.1 mg/L (Rattus) 1 h
	401	cuniculus) OECD 402	
Hydroquinone	390 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus	-
		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information Hydroquinone (123-31-9)

Method	Species	Results
OECD Test No. 476: In vitro Mammalian Cell	Mouse	Mutagenic
Gene Mutation Test		

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

	Chemical name	European Union
ſ	Hydroquinone	Muta. 2

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information Hydroguinone (123-31-9)

11) 410 441110110 (120 01 0)		
Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic
Toxicity/Carcinogenicity Studies		effect

Chemical name	European Union
Hydroquinone	Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

United Kingdom - BE Page 8 / 12

BOSTIK SUPER GLUE LIQUID
Supercedes Date: 02-Sep-2022
Revision Number 1.04

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
Hydroquinone 123-31-9	EC50: =0.335mg/L (72h, Pseudokirchneri ella subcapitata)	,		EC50: =0.29mg/L (48h, Daphnia magna)		1

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient		
Hydroquinone	0.59		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment		
ethyl-2-cyanoacrylate	The substance is not PBT / vPvB PBT assessment does		
	not apply		
Hydroquinone	The substance is not PBT / vPvB PBT assessment does		
	not apply		

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

United Kingdom - BE Page 9 / 12

Supercedes Date: 02-Sep-2022 **Revision Number** 1.04

Waste from residues/unused

BOSTIK SUPER GLUE LIQUID

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

Revision date 24-Oct-2022

with local regulations.

Do not reuse empty containers. Handle contaminated packages in the same way as the Contaminated packaging

product itself.

according to EWC

Waste codes / waste designations 15 01 10*: Packaging containing residues of or contaminated by dangerous substances. 16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable None

14.6 Special Provisions

IMDG

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP

14.6 Special Provisions None

14.7 Maritime transport in bulk Not applicable according to IMO instruments

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

United Kingdom - BE Page 10/12

Revision date 24-Oct-2022

Supercedes Date: 02-Sep-2022 Revision Number 1.04

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

BOSTIK SUPER GLUE LIQUID

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)

United Kingdom - BE Page 11 / 12

Revision date 24-Oct-2022

Supercedes Date: 02-Sep-2022 Revision Number 1.04

IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

BOSTIK SUPER GLUE LIQUID

Prepared By Product Safety & Regulatory Affairs

Revision date 24-Oct-2022

Indication of changes

Revision note SDS sections updated, 2, 3, 5, 8, 12, 13, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 12 / 12