



## SAFETY DATA SHEET

### B574

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name                      B574

Container size                    50ml, 65ml, 250ml

UFI                                    UFI: QC30-M0KQ-V00W-6G89

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                    Adhesive.

##### 1.3. Details of the supplier of the safety data sheet

Supplier                            Bondloc UK Ltd  
    Units 1 & 2 Bewdley Business Park  
    Long Bank  
    Bewdley  
    Worcestershire  
    DY12 2TZ  
    United Kingdom  
    +44 (0)1299 269269  
    +44 (0)1299 269210  
    sales@bondloc.co.uk

##### 1.4. Emergency telephone number

Emergency telephone            +44 (0)1299 269269

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards                    Not Classified

Health hazards                    Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards            Aquatic Chronic 4 - H413

##### 2.2. Label elements

###### Hazard pictograms



Signal word                        Warning

Hazard statements                H319 Causes serious eye irritation.  
    H317 May cause an allergic skin reaction.  
    H413 May cause long lasting harmful effects to aquatic life.

**B574**

<b>Precautionary statements</b>	<p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	--

**Contains** Methacrylic acid, monoester with propane-1,2-diol, 2'-phenylacetohydrazide

**2.3. Other hazards****SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid</b>	<b>30-60%</b>
CAS number: 41637-38-1	EC number: 609-946-4
	REACH registration number: 01-2119980659-17-0000

**Classification**

Aquatic Chronic 4 - H413

<b>Methacrylic acid, monoester with propane-1,2-diol</b>	<b>10-30%</b>
CAS number: 27813-02-1	EC number: 248-666-3
	REACH registration number: 01-2119490226-37-0000

**Classification**

Eye Irrit. 2 - H319

Skin Sens. 1 - H317

<b><math>\alpha,\alpha</math>-dimethylbenzyl hydroperoxide</b>	<b>&lt;1%</b>
CAS number: 80-15-9	EC number: 201-254-7
	REACH registration number: 01-2119475796-19-0000

**Classification**

Org. Perox. E - H242

Acute Tox. 4 - H302

Acute Tox. 4 - H312

Acute Tox. 3 - H331

Skin Corr. 1B - H314

Eye Dam. 1 - H318

STOT SE 3 - H335

STOT RE 2 - H373

Aquatic Chronic 2 - H411

**B574**

<b>Titanium Dioxide</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 13463-67-7	EC number: 236-675-5	
<b>Classification</b> Not Classified		
<b>2'-phenylacetohydrazide</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 114-83-0	EC number: 204-055-3	
<b>Classification</b> Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335		
<b>cumene</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 98-82-8	EC number: 202-704-5	REACH registration number: 01-2119473983-24-XXXX
Substance with a Community workplace exposure limit.		
<b>Classification</b> Flam. Liq. 3 - H226 STOT SE 3 - H335 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		
<b>ethanediol</b> <span style="float: right;"><b>&lt;1%</b></span>		
CAS number: 107-21-1	EC number: 203-473-3	REACH registration number: 01-2119456816-28-XXXX
Substance with a Community workplace exposure limit.		
<b>Classification</b> Acute Tox. 4 - H302 STOT RE 2 - H373		

**B574**

<b>cyclohexane</b>	<b>&lt;0.1</b>
CAS number: 110-82-7	EC number: 203-806-2
M factor (Acute) = 1	
Substance with a Community workplace exposure limit.	
<b>Classification</b>	
Flam. Liq. 2 - H225	
Skin Irrit. 2 - H315	
STOT SE 3 - H336	
Asp. Tox. 1 - H304	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention.
<b>Eye contact</b>	Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention if symptoms are severe or persist.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Skin contact</b>	May cause sensitisation by skin contact.
<b>Eye contact</b>	Irritating. Conjunctivitis, irritation, tearing.

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

**Suitable extinguishing media** Extinguish with foam, carbon dioxide or dry powder.

**5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products** Oxides of carbon. Oxides of nitrogen. Irritating gases or vapours. Oxides of sulphur.

**5.3. Advice for firefighters**

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin and eyes. Provide adequate ventilation.

**6.2. Environmental precautions**

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

## B574

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**      Small Spillages: Wipe up with paper towels and place in container for disposal. Large Spillages: Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

**Reference to other sections**      For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions**      Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions**      Store at temperatures between 8°C and 21°C. Keep only in the original container.

### 7.3. Specific end use(s)

**Specific end use(s)**      The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### **Titanium Dioxide**

Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust

##### **cumene**

Long-term exposure limit (8-hour TWA): WEL 25 ppm 125 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 250 mg/m<sup>3</sup>

Sk

##### **ethanediol**

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> particulate

Sk

Long-term exposure limit (8-hour TWA): WEL 20 ppm 52 mg/m<sup>3</sup> vapour

Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m<sup>3</sup> vapour

Sk

##### **cyclohexane**

Long-term exposure limit (8-hour TWA): WEL 100 ppm 350 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 300 ppm 1050 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

### 8.2. Exposure controls

**Eye/face protection**      Wear eye protection.

**Hand protection**      Wear protective gloves made of the following material: Nitrile rubber.

**Respiratory protection**      If ventilation is inadequate, suitable respiratory protection must be worn.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance**      Liquid.

**B574**

<b>Colour</b>	Orange.
<b>Odour</b>	Mild.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not applicable.
<b>Melting point</b>	Not available.
<b>Initial boiling point and range</b>	Not available.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	50000
<b>Explosive properties</b>	Not available.
<b>Oxidising properties</b>	Not available.

**9.2. Other information**

**Other information** None.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

**Reactivity** Strong acids. Strong oxidants

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** The following materials may react with the product: Strong acids. Strong oxidants

**10.4. Conditions to avoid**

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

**10.5. Incompatible materials**

**Materials to avoid** None known.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** Irritating organic vapours

**SECTION 11: Toxicological information**

**B574****11.1. Information on toxicological effects**

**Toxicological effects** No information available.

**Acute toxicity - oral**

**ATE oral (mg/kg)** 50,000.0

**Acute toxicity - inhalation**

**ATE inhalation (vapours mg/l)** 344.83

**Inhalation** May cause respiratory system irritation.

**Ingestion** The product is considered to be a low hazard under normal conditions of use.

**Skin contact** May cause sensitisation by skin contact.

**Eye contact** Irritating to eyes.

**SECTION 12: Ecological information**

**Ecotoxicity** There are no data on the ecotoxicity of this product.

**12.1. Toxicity**

**Ecotoxicity**

**Toxicity** Low

**12.2. Persistence and degradability**

**Persistence and degradability** There are no data on the degradability of this product.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

**12.4. Mobility in soil**

**Mobility** Not considered mobile.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**12.6. Other adverse effects**

**Other adverse effects** Not available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information** Dispose of waste product or used containers in accordance with local regulations

**Disposal methods** Dispose of waste product or used containers in accordance with local regulations

**Waste class** 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances.

**SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## B574

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78**

**and the IBC Code**

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

<b>Revision date</b>	07/01/2022
<b>Revision</b>	2
<b>Supersedes date</b>	26/08/2021
<b>SDS number</b>	5840



## B574

### Hazard statements in full

H225 Highly flammable liquid and vapour.  
H226 Flammable liquid and vapour.  
H242 Heating may cause a fire.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H413 May cause long lasting harmful effects to aquatic life.

**PRECAUTIONS:** This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

**WARRANTY:** All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is considered accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.