

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT BROWN**  
Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT BROWN  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives and/or sealants.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik GmbH  
An der Bundesstrasse 16  
33829 Borgholzhausen, Germany  
Tel: +49 (0) 5425 / 801 0  
Fax: +49 (0) 5425 / 801 140

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

|                       |   |
|-----------------------|---|
| <b>United Kingdom</b> | +44 (1785) 272650                         |
| <b>Ireland</b>        | +353 (1) 8624900 (Monday- Friday 9am-5pm) |

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### 2.2. Label Elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### **Signal Word**

No signal word

#### **Special provisions concerning the labelling of certain mixtures**

EUH208 - Contains Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine. May produce an allergic reaction  
EUH210 - Safety data sheet available on request

### 2.3. Other Hazards

#### **General Hazards**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT BROWN  
Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

## PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

| Chemical Name  | EC No     | CAS No      | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP]         | Specific concentration limit (SCL) | REACH Registration Number |
|--|-----------|-------------|----------|---|------------------------------------|---------------------------|
| Silane, ethenyltrimethoxy-   | 220-449-8 | 2768-02-7   | 1- <2.5  | Acute Tox. 4 (H332)<br>Flam. Liq. 3 (H226)<br>STOT RE 2 (H373)          |                                    | 01-2119513215-52<br>-XXXX |
| Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine | 309-629-8 | 100545-48-0 | 0.1 - <1 | Skin Sens. 1 (H317)<br>Aquatic Chronic 3 (H412)                         | Skin Sens. 1 :: C>=25%             | 01-2119979085-27<br>-XXXX |
| Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate                           | 258-207-9 | 52829-07-9  | 0.1 - <1 | Eye Dam. 1 (H318)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 2 (H411) |                                    | 01-2119537297-32<br>-XXXX |

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|   |   |
|---|---|
| <b>General Advice</b>                     | If medical advice is needed, have product container or label at hand.   |
| <b>Inhalation</b>                         | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| <b>Skin Contact</b>                       | Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.  |
| <b>Eye contact</b>                        | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.                    |
| <b>Ingestion</b>                          | If swallowed, rinse mouth with water (only if the person is conscious). Call a doctor or poison control centre immediately. Small amounts of toxic methanol are released by hydrolysis. |
| <b>Self-Protection of the First Aider</b> | First aider: Pay attention to self-protection.  |

### 4.2. Most important symptoms and effects, both acute and delayed

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT BROWN  
Supercedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

**Symptoms** None known.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

### **Section 5: FIRE-FIGHTING MEASURES**

#### **5.1. Extinguishing media**

**Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

**Unsuitable Extinguishing Media**

Do not use straight streams

#### **5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of toxic/corrosive gases and vapours.

**Hazardous Combustion Products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal Precautions**

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

**For emergency responders**

Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

Prevent product from entering drains. Do not allow to enter into soil/subsoil.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for Containment**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

**Methods for cleaning up**

Take up mechanically, placing in appropriate containers for disposal.

#### **6.4. Reference to other sections**

**Reference to other sections**

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

### **Section 7: HANDLING AND STORAGE**

#### **7.1. Precautions for safe handling**

**Advice on safe handling**

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT BROWN

Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

## General Hygiene Considerations

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep away from food, drink and animal feedingstuffs. Protect from moisture. Keep container tightly closed and dry.

## 7.3. Specific end use(s)

### Specific Use(s)

Adhesives, sealants.

### Other Information

Recommendation(s). Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

| Chemical Name                 | European Union                                   | Ireland  | United Kingdom   |
|-------------------------------|--|--|--|
| Methyl alcohol<br>67-56-1     | TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>S* | TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 600 ppm<br>STEL: 780 mg/m <sup>3</sup><br>Skin | STEL: 250 ppm<br>STEL: 333 mg/m <sup>3</sup><br>TWA: 200 ppm<br>TWA: 266 mg/m <sup>3</sup><br>Skin |
| Calcium stearate<br>1592-23-0 | -  | TWA: 10 mg/m <sup>3</sup><br>STEL: 30 mg/m <sup>3</sup>  | -  |

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

#### Engineering Controls

Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

##### Eye/Face Protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

##### Hand Protection

Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The breakthrough time for the mentioned glove material is in general greater than 480 min.

##### Skin and Body Protection

Wear suitable protective clothing.

##### Respiratory Protection

Ensure adequate ventilation, especially in confined areas.

**Environmental Exposure Controls** Do not allow uncontrolled discharge of product into the environment.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical State** Liquid  
**Appearance** Paste  
**Colour** Brown

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT BROWN  
Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

|                                       |  |                            |
|---------------------------------------|--|----------------------------|
| <b>Odour</b>                          | Characteristic                                   |                            |
| <b>Odour Threshold</b>                | No information available                         |                            |
| <b>Property</b>                       | <b>Values</b>                                    | <b>Remarks • Method</b>    |
| <b>pH</b>                             | No information available                         | Not applicable             |
| <b>Melting point / freezing point</b> | No information available                         |                            |
| <b>Boiling point / boiling range</b>  | No information available                         |                            |
| <b>Flash Point</b>                    | > 61 °C  |                            |
| <b>Evaporation Rate</b>               | No information available                         |                            |
| <b>Flammability (solid, gas)</b>      | No information available                         | Not applicable for liquids |
| <b>Flammability Limit in Air</b>      |  |                            |
| Upper flammability limit:             | No information available                         |                            |
| Lower flammability limit              | No information available                         |                            |
| <b>Vapour Pressure</b>                | No information available                         |                            |
| <b>Vapour Density</b>                 | No information available                         |                            |
| <b>Relative Density</b>               | 1.5  |                            |
| <b>Water Solubility</b>               | Reacts with water<br>Product cures with moisture |                            |
| <b>Solubility in Other Solvents</b>   | No information available                         |                            |
| <b>Partition Coefficient</b>          | No information available                         |                            |
| <b>Autoignition Temperature</b>       | No information available                         |                            |
| <b>Decomposition Temperature</b>      | No information available                         |                            |
| <b>Explosive Properties</b>           | No information available                         |                            |
| <b>Explosive Limits</b>               | No information available                         |                            |
| Upper                                 | No information available                         |                            |
| Lower                                 | No information available                         |                            |
| <b>Oxidising Properties</b>           | No information available                         |                            |
| <b>Kinematic Viscosity</b>            | No information available                         |                            |
| <b>Dynamic Viscosity</b>              | No information available                         |                            |
| <b>9.2. Other information</b>         |  |                            |
| <b>Softening Point</b>                | No information available                         |                            |
| <b>Molecular Weight</b>               | No information available                         |                            |
| <b>Solvent content (%)</b>            | No information available                         |                            |
| <b>Solid content (%)</b>              | No information available                         |                            |
| <b>Density</b>                        | No data available                                |                            |
| <b>Bulk Density</b>                   | No data available                                |                            |
| <b>VOC content (%)</b>                |  |                            |

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Product cures with moisture.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion Data

Sensitivity to Mechanical Impact None.  
Sensitivity to Static Discharge None.

### 10.3. Possibility of hazardous reactions

#### Possibility of Hazardous Reactions

None known.

### 10.4. Conditions to avoid

Protect from moisture.

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT BROWN  
Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

## 10.5. Incompatible materials

Water.

## 10.6. Hazardous decomposition products

None under normal use and recommended storage conditions.

## **Section 11: TOXICOLOGY INFORMATION**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

##### Product Information

|                      |   |
|----------------------|---|
| <b>Inhalation</b>    | Based on available data, the classification criteria are not met. |
| <b>Eye contact</b>   | Based on available data, the classification criteria are not met. |
| <b>Skin Contact</b>  | Based on available data, the classification criteria are not met. |
| <b>Ingestion</b>     | Based on available data, the classification criteria are not met. |
| <b>Sensitisation</b> | May produce an allergic reaction.                                 |

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|  |   |
|--|---|
| <b>Skin Corrosion/Irritation</b>         | Based on available data, the classification criteria are not met. |
| <b>Serious eye damage/eye irritation</b> | Based on available data, the classification criteria are not met. |
| <b>Sensitisation</b>                     | May cause sensitisation by skin contact.                          |
| <b>Germ Cell Mutagenicity</b>            | Based on available data, the classification criteria are not met. |
| <b>Carcinogenicity</b>                   | Based on available data, the classification criteria are not met. |
| <b>Reproductive Toxicity</b>             | Based on available data, the classification criteria are not met. |
| <b>STOT - Single Exposure</b>            | Based on available data, the classification criteria are not met. |
| <b>STOT - Repeated Exposure</b>          | Based on available data, the classification criteria are not met. |
| <b>Target Organ Effects</b>              | Eyes, Respiratory system, Skin.                                   |
| <b>Aspiration hazard</b>                 | Not applicable.   |

#### Numerical measures of toxicity

##### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-vapour) 565.00 mg/l

#### Component Information

**Toxicity Data** Data obtained on the component(s) include

| Chemical Name                           | Oral LD50                                    | Dermal LD50             | Inhalation LC50 |
|---|--|-------------------------|-----------------|
| Silane, ethenyltrimethoxy-<br>2768-02-7 | LD 50 = 7120 -7236 mg/kg ( Rat )<br>OECD 401 | = 3360 µL/kg ( Rabbit ) | -               |

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT BROWN  
Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

|   |                                     |                                      |                                     |
|---|-------------------------------------|--------------------------------------|-------------------------------------|
| Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine<br>100545-48-0 | LD50 >2000 mg/kg (Rat)              | -                                    | LC50 =5.05 mg/kg (Rat)              |
| Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate<br>52829-07-9                           | LD50 (rat) > 2000 mg/kg<br>OECD 423 | LD50 (rat) > 3 170 mg/kg<br>OECD 402 | = 500 mg/m <sup>3</sup> ( Rat ) 4 h |

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity

Classification is shown in section 2 of this SDS

#### Component Information

Data obtained on the component(s) include

| Chemical Name   | Algae/aquatic plants   | Fish   | Crustacea                                     | M-Factor |
|---|--|--|---|----------|
| Silane, ethenyltrimethoxy-<br>2768-02-7   | EC 50 (72h) > 957 mg/l<br>(Desmodesmus subspicatus)<br>EU Method C.3 | L50 (96h) = 191 mg/l<br>(Oncorhynchus mykiss)    | EC50(48hr) 168.7mg/l<br>(Daphnia magna)       |          |
| Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine<br>100545-48-0 | EL50 (72h) >100 mg/L Algae<br>(Pseudokirchneriella subcapitata)      | LL50 (96h) >10mg/L Fish<br>(Onchohynchus mykiss) | EL50 (48h) >10mg/L Daphnia<br>(Daphnia magna) |          |
| Bis(2,2,6,6-tetramethyl-4-piperidyl)sebacate<br>52829-07-9                            | EC50 72Hr 0.705 mg/l<br>(Pseudokirchneriella subcapitata)            | LC50 (96h) = 5.29 mg/l<br>(Oryzias latipes)      | LC50 48Hr 8.58 mg/l (Daphnia magna)           |          |

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient

No information available

### 12.4. Mobility in soil

#### Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

No information available

#### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT BROWN  
Supersedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

|  |   |
|--|---|
| <b>Waste from Residues/Unused Products</b> | Uncured product should be disposed of as hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| <b>Contaminated Packaging</b>              | Handle contaminated packages in the same way as the product itself.   |
| <b>European Waste Catalogue</b>            | 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09  |
| <b>Other Information</b>                   | Waste codes should be assigned by the user based on the application for which the product was used.   |

## Section 14: TRANSPORTATION INFORMATION

### ADR

|                                 |                |
|---------------------------------|----------------|
| 14.1 UN/ID no                   | Not regulated  |
| 14.2 Proper Shipping Name       | Not regulated  |
| 14.3 Transport hazard class(es) | Not regulated  |
| 14.4 Packing Group              | Not regulated  |
| 14.5 Environmental Hazard       | Not applicable |
| 14.6 Special Provisions         | None           |

### IMDG

|   |                          |
|---|--------------------------|
| 14.1 UN Number  | Not regulated            |
| 14.2 Proper Shipping Name   | Not regulated            |
| 14.3 Transport hazard class(es)   | Not regulated            |
| 14.4 Packing Group  | Not regulated            |
| 14.5 Marine Pollutant   | Np                       |
| 14.6 Special Provisions   | None                     |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | No information available |

### RID

|                                 |                |
|---------------------------------|----------------|
| 14.1 UN Number                  | Not regulated  |
| 14.2 Proper Shipping Name       | Not regulated  |
| 14.3 Transport hazard class(es) | Not regulated  |
| 14.4 Packing Group              | Not regulated  |
| 14.5 Environmental Hazard       | Not applicable |
| 14.6 Special Provisions         | None           |

### ICAO (air)

|                           |                |
|---------------------------|----------------|
| 14.1 UN/ID no             | Not regulated  |
| 14.2 Proper Shipping Name | Not regulated  |
| 14.3 Hazard Class         | Not regulated  |
| 14.4 Packing Group        | Not regulated  |
| 14.5 Environmental Hazard | Not applicable |
| 14.6 Special Provisions   | None           |

### IATA

|                                 |                |
|---------------------------------|----------------|
| 14.1 UN/ID no                   | Not regulated  |
| 14.2 Proper Shipping Name       | Not regulated  |
| 14.3 Transport hazard class(es) | Not regulated  |
| 14.4 Packing Group              | Not regulated  |
| 14.5 Environmental Hazard       | Not applicable |
| 14.6 Special Provisions         | None           |

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)



# Safety Data Sheet

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT BROWN**  
Supercedes Date: 14-Mar-2018

Revision Date 14-Mar-2018

Revision Number 1

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical Name   | CAS No     | Restrictions on use |
|---|------------|---------------------|
| Silicic acid (H <sub>4</sub> SiO <sub>4</sub> ), tetraethyl ester, reaction products with bis(acetyloxy)diethylstannane | 93925-43-0 | 3<br>20<br>40       |

## EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Persistent Organic Pollutants

Not applicable

## 15.2. Chemical safety assessment

No information available

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

H332 - Harmful if inhaled

H226 - Flammable liquid and vapour

H373 - May cause damage to organs through prolonged or repeated exposure

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls and personal protection

TWA TWA (time-weighted average)

Ceiling Maximum limit value

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

STOT (RE): Specific target organ toxicity - Repeated exposure

STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

STEL  
\*

STEL (Short Term Exposure Limit)  
Skin designation

### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

# Safety Data Sheet

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT BROWN**

**Supersedes Date:** 14-Mar-2018

**Revision Date** 14-Mar-2018

**Revision Number** 1

---

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 14-Mar-2018

**Indication of changes**

**Revision Note** Not applicable.

**Training Advice** When working with hazardous materials, regular training of operators is required by law

**Further information** No information available

**This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**