

This safety data sheet was created pursuant to the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Supercedes Date: 10-Dec-2021

Revision date 11-Dec-2023 Revision Number 3.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word

None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane & N-(3-(trimethoxysilyl)propyl)ethylenediamine & N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine & Dioctyltinbis(acetylacetonate). May produce an allergic reaction EUH210 - Safety data sheet available on request

United Kingdom - BE Page 1 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 Revision Number 3.01

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diisononyl phthalate	249-079-5	28553-12-0	10 - <20	[1]	-	01-2119430798- 28-XXXX
Trimethoxyvinylsilane	220-449-8 (014-049-00- 0)	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)	-	01-2119970215- 39-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1 - <0.5	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199- 67-XXXX
N-[3-(Dimethoxymethylsi lyl)propyl]-ethylenediami ne		3069-29-2	0.1 - <0.5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)	<u>-</u>	01-2119963926- 21-xxxx

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

Full text of H- and EUH-phrases: see section 16

Air contaminants formed when using the substance or mixture as intended

voilaininante retinica tritori acing are caretaries et iniziane ac interneta							
Chemical name	EC No (EU Index	Classification	Specific	M-Factor	M-Factor	REACH	ı

United Kingdom - BE Page 2/15

[[]I] - Restricted substance per REACH Annex XVII

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 **Revision Number** 3.01

	No)	according to Regulation (EC) No. 1272/2008 [CLP]	concentration limit (SCL)		(long-term)	registration number
Methyl alcohol	200-659-6	Acute Tox. 3	STOT SE 1 ::	-	-	01-2119433307-
67-56-1	(603-001-00-X)	(H301)	C>=10%			44-XXXX
		Acute Tox. 3	STOT SE 2 ::			
		(H311)	3%<=C<10%			
		Acute Tox. 3				
		(H331)				
		STOT SE 1				
		(H370)				
		Flam. Liq. 2				
		(H225)				

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a doctor.

Eve contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a doctor immediately. Never give anything by

mouth to an unconscious person. Rinse mouth thoroughly with water.

4.2. Most important symptoms and effects, both acute and delayed

None known. **Symptoms**

No information available. **Effects of Exposure**

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

United Kingdom - BE Page 3/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 **Revision Number** 3.01

Specific hazards arising from the Thermal decomposition can lead to release of irritating gases and vapours.

chemical

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Do not get **Personal precautions**

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions**

12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Do not scatter spilled material with high pressure water streams. **Methods for containment**

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure adequate ventilation. Advice on safe handling

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture. **Storage Conditions**

Keep away from food, drink and animal feedingstuffs.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Adhesives and/or sealants.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Observe technical data sheet. Other information

United Kingdom - BE Page 4 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 **Revision Number** 3.01

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Diisononyl phthalate	-	TWA: 5 mg/m ³
28553-12-0		STEL: 15 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm
		STEL: 333 mg/m ³
		Sk*
Dioctyltinbis(acetylacetonate)	-	TWA: 0.1 mg/m ³
54068-28-9		STEL: 0.2 mg/m ³
		l Sk*

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)				
Diisononyl phthalate (28553	-12-0)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	51.72 mg/m³		
worker Long term Systemic health effects	Dermal	366 mg/kg bw/d		

Trimethoxyvinylsilane (2768-02-7)				
Туре	1	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	27,6 mg/m ³		
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	35.5 mg/m³			
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d			

Dioctyltinbis(acetylacetonate) (54068-28-9)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Long term Systemic health effects	Dermal	0.07 mg/kg bw/d		

United Kingdom - BE Page 5/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 **Revision Number** 3.01

worker			
Long term Systemic health effects worker	Inhalation	84 mg/m³	
Short term Systemic health effects worker	Inhalation	84 mg/m³	
Long term Short term Local health effects worker	Inhalation	0.091 mg/m ³	

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Long term Systemic health effects	Inhalation	12 mg/m³			
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d			

Derived No Effect Level (DN	Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768	-02-7)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³			
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d			
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d			

N-(3-(trimethoxysilyl)propyl)	N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d				
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³				
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d				

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)				
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³		
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d		
Consumer	Oral	0.83 mg/kg bw/d		

United Kingdom - BE Page 6/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 Revision Number 3.01

Long term Systemic health effects		

Predicted No Effect Concentration No information available. (PNEC)

Predicted No Effect Concentration (PNEC)			
Trimethoxyvinylsilane (2768-02-7)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	0.34 mg/l		
Marine water	0.034 mg/l		
Microorganisms in sewage treatment	110 mg/l		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.062 mg/l			
Marine water	0.0062 mg/l			
Sewage treatment plant	25 mg/l			

Dioctyltinbis(acetylacetonate) (54068-28-9)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	26 μg/l		
Marine water	2.6 μg/l		
Freshwater - intermittent	260 μg/l		
Sewage treatment plant	1 mg/l		
Freshwater sediment	0.155 mg/kg dry weight		
Marine sediment	0.0155 mg/kg dry weight		
Soil	0.0158 mg/kg dry weight		

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l
Marine water	0.006 mg/l
Sewage treatment plant	25 mg/l
Freshwater sediment	0.24 mg/kg dry weight
Marine sediment	0.024 mg/kg dry weight
Soil	0.01 mg/kg dry weight

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye protection must conform to Eye/face protection

standard EN 166.

Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber. Hand protection

Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves. Gloves must conform to standard EN 374

Skin and body protection Respiratory protection

None under normal use conditions.

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation,

especially in confined areas.

Organic gases and vapours filter conforming to EN 14387. White. Brown. Recommended filter type:

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

United Kingdom - BE Page 7 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 Revision Number 3.01

Solid Physical state Appearance Paste Colour Brown Odour Characteristic.

Property Values Remarks • Method

Melting point / freezing point No data available None known No data available

Initial boiling point and boiling

range

No data available

Flammability

Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point > 60 °C

Autoignition temperature No data available None known **Decomposition temperature**

None known No data available None known.

pH (as aqueous solution) No data available None known Kinematic viscosity > 21 mm²/s None known

Dynamic viscosity No data available

Water solubility No data available. Product cures with None known

moisture

No data available Solubility(ies) None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk Density No data available 1.58 g/cm³ Density

No data available Relative vapour density None known

Particle characteristics

Particle Size No information available **Particle Size Distribution** No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical None

impact

Sensitivity to static discharge None.

United Kingdom - BE Page 8 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 **Revision Number** 3.01

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

products curing.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Based on available data, the classification criteria are not met. Inhalation

Eye contact Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. May cause sensitisation in Skin contact

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

No information available. **Symptoms**

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

>5000 mg/kg ATEmix (oral) ATEmix (dermal) >5000 mg/kg >20000 ppm ATEmix (inhalation-gas) >5 mg/l ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapour) 728.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diisononyl phthalate	>9750 mg/kg (Rattus)	>3160 mg/Kg (Oryctolagus	>4.4 mg/L (Rattus) 4 h
		cuniculus)	
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air

United Kingdom - BE Page 9 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Supercedes Date: 10-Dec-2021 Revision Number 3.01

Dioctyltinbis(acetylacetonate)	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	= 5.1 mg/L (Rat) 4 h
N-[3-(Dimethoxymethylsilyl)pro	=200 - 2000 mg/Kg (Rattus)	>5000 mg/Kg (Oryctolagus	> 5.2 mg/L (Rattus) 4 h
pyl]-ethylenediamine	(OECD 401)	cuniculus)	(OECD 403)
		(OECD 402)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Revision date 11-Dec-2023

Product Information			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

Dioctyltinbis(acetylacetonate) (54068-28-9)

Blooty littlible (dooty lideoterlate) (6 1000 20 0)						
Method	Species	Exposure route	Results			
OECD Test No. 429: Skin		Dermal	> 5 % sensitising			
Sensitisation: Local Lymph Node			_			
Assav						

N-[3-(Dimethoxymethylsilyl)propyl]-ethylenediamine (3069-29-2)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		-

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	Mammalian cells in vitro	Negative
Mutation Test		-
OECD Test No. 476: In vitro Mammalian Cell	Mammalian cells in vitro	Negative
Gene Mutation Test		-

Carcinogenicity

Based on available data, the classification criteria are not met.

United Kingdom - BE Page 10 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Supercedes Date: 10-Dec-2021

Revision date 11-Dec-2023 Revision Number 3.01

Reproductive toxicity

Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat Oral	NOAEL >500 mg/Kg
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Subacute oral		28 days	NOAEL >500 mg/kg
Combined Repeated Dose		toxicity gavage			
Toxicity Study with the					
Reproduction/Developme					
ntal Toxicity Screening					
Test					

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Diisononyl phthalate	EC50: >500mg/L	LC50 96 h > 100	-	EC50: >500mg/L		
28553-12-0	(72h,	mg/L		(48h, Daphnia		
	Desmodesmus	(Brachydanio		magna)		
	subspicatus)	rerio semi-static)		EC50:		
	EC50: >1.8mg/L			>0.06mg/L (48h,		
	(96h,			Daphnia magna)		

United Kingdom - BE Page 11 / 15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 Revision Number 3.01

	Pseudokirchneri ella subcapitata)				
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	EC50(48hr) 168.7mg/l (Daphnia magna)	
N-(3-(trimethoxysilyl)pr opyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static	
Dioctyltinbis(acetylacet onate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)	-	EC50 (48h) =58.6 mg/L (Daphnia magna)	

12.2. Persistence and degradability

Persistence and degradability

No information available.

Trimethoxyvinylsilane (2768-02-7)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

00.	Component information					
	Chemical name	Partition coefficient				
Diisononyl phthalate		9.7				
Trimethoxyvinylsilane		1.1				
	N-(3-(trimethoxysilyl)propyl)ethylenediamine	-0.3				

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment	
Diisononyl phthalate	The substance is not PBT / vPvB	
Trimethoxyvinylsilane	The substance is not PBT / vPvB	
N-(3-(trimethoxysilyl)propyl)ethylenediamine	The substance is not PBT / vPvB	
Dioctyltinbis(acetylacetonate)	The substance is not PBT / vPvB	
N-I3-(Dimethoxymethylsilyl)propyll-ethylenediamine	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

No information available. **Endocrine disrupting properties**

12.7. Other adverse effects

No information available.

United Kingdom - BE Page 12/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 Revision Number 3.01

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Handle contaminated packages in the same way as the product itself. Contaminated packaging

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group

14.5 Marine pollutant 14.6 Special precautions for user **Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

Not regulated 14.1 UN number or ID number 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user **Special Provisions** None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

United Kingdom - BE Page 13/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 **Revision Number** 3.01

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].
Dioctyltinbis(acetylacetonate)	54068-28-9	20.

20 (6) DOT. 52. Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex
	Number
Dioctyltinbis(acetylacetonate)	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation H371 - May cause damage to organs

Legend

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Skin designation Sk*

SVHC Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT Very Persistent and very Bioaccumulative (vPvB) Chemicals vPvB

United Kingdom - BE Page 14/15

OB1 MULTI-SURFACE SEALANT AND ADHESIVE BROWN

Revision date 11-Dec-2023 Supercedes Date: 10-Dec-2021 Revision Number 3.01

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

European Agreement concerning the International Carriage of Dangerous Goods by **ADR**

Road

IMDG International Maritime Dangerous Goods (IMDG) International Air Transport Association (IATA) IATA

Regulations concerning the International Transport of Dangerous Goods by Rail RID

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 11-Dec-2023

Indication of changes

Revision note SDS sections updated, 2, 3. No information available **Training Advice** Further information No information available

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15/15