

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 16/10/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name TOTAL INTERIOR SHAMPOO UFI : D5GN-73E9-N005-5WQA

Product code SDS-170-J-1.0 Type of product Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited

GB: Alaska House, Atlantic Park, Dunnings Bridge Road, Liverpool, L30 4AB. EU: Suite 401, The Capel Building, Mary's Abbey, Dublin 7, Ireland, D07 N4C6.

T GB & EU +44 (0) 845 600 3663

MSDS@turtlewax.com

1.4. Emergency telephone number

Emergency number : GB & EU +44 (0) 845 600 3663

Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) H319 - Causes serious eye irritation. Precautionary statements (CLP) P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

EUH-statements : EUH208 - Contains BENZISOTHIAZOLINONE. May produce an allergic reaction.

16/10/2023 (Issue date) EN (English) 1/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Child-resistant fastening : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------|--|
| propan-2-ol | CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25 | 1 – 10 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| Sodium laurylether (2,5 EO) sulphate | CAS-No.: 68891-38-3 EC-No.: 500-234-8 | 1 – 10 | Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Chronic 3, H412 |
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether substance with a Community workplace exposure limit | CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104- | 0.1 – 1 | Eye Irrit. 2, H319 |
| Amines, C12-14 (even numbered)-alkyldimethyl, Noxides | CAS-No.: 308062-28-4 EC-No.: 931-292-6 | 0.1 – 1 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Benzisothiazolinone | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 |
| acetic acid % substance with a Community workplace exposure limit | CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328- 30 | < 0.1 | Flam. Liq. 3, H226 Skin Corr. 1A, H314 |

| Specific concentration limits: | | |
|--------------------------------------|--------------------|--|
| Name | Product identifier | Specific concentration limits (%) |
| Sodium laurylether (2,5 EO) sulphate | | (5 ≤ C < 10) Eye Irrit. 2, H319 (10 ≤ C < 100) Eye Dam. 1, H318 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | |
|--------------------------------|---|--|
| Name | Product identifier | Specific concentration limits (%) |
| Benzisothiazolinone | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | (0.05 ≤ C < 100) Skin Sens. 1, H317 |
| acetic acid % | CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no: 01-2119475328- 30 | $(10 \le C < 25)$ Eye Irrit. 2, H319 $(10 \le C < 25)$ Skin Irrit. 2, H315 $(25 \le C < 90)$ Skin Corr. 1B, H314 $(90 \le C < 100)$ Skin Corr. 1A, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use. If experiencing respiratory symptoms: Get medical advice/attention.

First-aid measures after skin contact : Wash skin with soap and water. If skin irritation or rash occurs: Get medical

: Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention.

advice/attention

First-aid measures after eye contact

: Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention if irritation develops.

First-aid measures after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use. Rinse mouth. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : To our knowledge, this product does not present any particular risk, provided it is handled in

accordance with good occupational hygiene and safety practice.

Symptoms/effects after inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Not expected to present a significant hazard under anticipated conditions of normal use.

May cause slight irritation.

Symptoms/effects after ingestion : Ingestion may cause nausea and vomiting. May cause a light irritation of the linings of the

mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

Reactivity in case of fire : Not known.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Stop leak if safe to do so.

Firefighting instructions : Use extinguishing media appropriate for surrounding fire.

16/10/2023 (Issue date) EN (English) 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment.

6.1.1. For non-emergency personnel

Protective equipment : Not required for normal conditions of use.

Emergency procedures : Ventilate spillage area. Stop release. Avoid prolonged or repeated contact with skin.

6.1.2. For emergency responders

Protective equipment : Not required for normal conditions of use.

Emergency procedures : Ventilate area. Stop release. Avoid prolonged or repeated contact with skin.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Ventilate spillage area. Wipe up with absorbent material (for example cloth). Place in a

suitable container for disposal in accordance with the waste regulations (see Section 13).

Other information : Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Observe the label precautions. Ensure adequate ventilation. Keep out of reach of children.

Avoid contact with eyes. Avoid prolonged or repeated contact with skin.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this

oroduct.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep out of reach of children. Keep container

closed when not in use.

Incompatible products : Strong acids. Incompatible materials : None known.

Storage area : Store in a well-ventilated place. Keep out of frost.

Packaging materials : Keep only in original container.

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

16/10/2023 (Issue date) EN (English) 4/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | |
|---|---------------------------------------|--|
| United Kingdom - Occupational Exposure Limits | | |
| Local name | 2-(2-Butoxyethoxy)ethanol | |
| WEL TWA (OEL TWA) [1] | 67.5 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 10 ppm | |
| WEL STEL (OEL STEL) | 101.2 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 15 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| propan-2-ol (67-63-0) | | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Propan-2-ol | |
| WEL TWA (OEL TWA) [1] | 999 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 400 ppm | |
| WEL STEL (OEL STEL) | 1250 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 500 ppm | |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE | |
| acetic acid % (64-19-7) | | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Acetic acid | |
| WEL TWA (OEL TWA) [1] | 25 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 10 ppm | |
| WEL STEL (OEL STEL) | 50 mg/m³ | |
| WEL STEL (OEL STEL) [ppm] | 20 ppm | |
| Regulatory reference EH40/2005 (Fourth edition, 2020). HSE | | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

In case of repeated or prolonged contact wear gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

Hand protection:

In case of repeated or prolonged contact wear gloves

Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection:

Not necessary with sufficient ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Read label before use. Observe the label precautions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Not available Odour pleasant. Odour threshold Not available Melting point : Not available Freezing point : Not available Boiling point : Not available Flammability : Not applicable

Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing.

Lower explosion limit : Not available

Upper explosion limit : Not available

Flash point

Auto-ignition temperature : Not available Decomposition temperature : Not available

pH : 8.3

Viscosity, kinematic : Not available
Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available

16/10/2023 (Issue date) EN (English) 6/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| reaction (initial and in) | | |
|---|--|--|
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | |
| LD50 oral | 5660 mg/kg bodyweight | |
| LD50 dermal rabbit | 2764 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 2090 - 3645 | |
| LD50 dermal | 2764 mg/kg bodyweight | |
| LC50 Inhalation - Rat (Dust/Mist) | > 196 mg/l | |
| propan-2-ol (67-63-0) | | |
| LD50 oral rat | 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | |
| LD50 oral | 4384 mg/kg | |
| LD50 dermal | 12800 mg/kg bodyweight | |
| Benzisothiazolinone (2634-33-5) | | |
| LD50 oral1020 mg/kg bodyweightLD50 dermal4115 mg/kg bodyweight | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| LC50 Inhalation - Rat (Dust/Mist) acetic acid % (64-19-7) LD50 oral rat D50 oral rat Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (308062-28-4) LD50 oral rat 1064 mg/kg Sodium laurylether (2,5 EO) sulphate (68891-38-3) LD50 oral 4100 mg/kg bodyweight LD50 dermal > 2000 mg/kg bodyweight Skin corrosion/irritation : Not classified pH: 8.3 Serious eye damage/irritation : Causes serious eye irritation. pH: 8.3 | | | | |
|--|---|--|--|--|
| acetic acid % (64-19-7) LD50 oral rat | Benzisothiazolinone (2634-33-5) | | | |
| LD50 oral rat LD50 oral 3310 mg/kg bodyweight Animal: rat LD50 oral 3310 mg/kg bodyweight Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (308062-28-4) LD50 oral rat 1054 mg/kg Sodium laurylether (2,5 EO) sulphate (68891-38-3) LD50 oral 4100 mg/kg bodyweight LD50 oral 5200 mg/kg bodyweight LD50 oral 5200 mg/kg bodyweight LD50 dermal 5200 mg/kg bodyweight LD50 oral 6200 mg/kg bodyweight LD50 dermal 5200 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) LD50 dermal 5200 mg/kg bodyweight Animal: rat, Animal sex: male 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) 600 mg/kg body | LC50 Inhalation - Rat (Dust/Mist) | 100 mg/l | | |
| LD50 oral 3310 mg/kg bodyweight Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (308062-28-4) LD50 oral rat 1064 mg/kg Sodium laurylether (2,5 EO) sulphate (68891-38-3) LD50 oral 4100 mg/kg bodyweight LD50 dermal > 2000 mg/kg bodyweight Skin corrosion/irritation Not classified pri: 8,3 Serious eye damage/irritation Pri: 8,3 Respiratory or skin sensitisation Not classified Not classified Germ cell mutagenicity Not classified Causes serious eye irritation. Pri: 8,3 Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Propan-2-ol (67-63-0) IARC group 3 - Not classified Stort-single exposure Not classified Propan-2-ol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-geated exposure Not classified Propan-2-ol (67-63-0) STOT-single exposure Not classified | acetic acid % (64-19-7) | | | |
| Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (308062-28-4) LD50 oral | LD50 oral rat | 3310 mg/kg bodyweight Animal: rat | | |
| Sodium laurylether (2,5 EO) sulphate (68891-38-3) | LD50 oral | 3310 mg/kg bodyweight | | |
| Sodium laurylether (2,5 EO) sulphate (68891-38-3) LD50 oral | Amines, C12-14 (even numbered)-alkyldimeth | yl, N-oxides (308062-28-4) | | |
| LD50 oral 4100 mg/kg bodyweight LD50 dermal > 2000 mg/kg bodyweight Skin corrosion/irritation : Not classified pt: 6.3 Serious eye damage/irritation : Not classified pt: 6.3 Serious eye damage/irritation : Not classified pt: 6.3 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Garcinogenicity : Not classified Garcinogenicity : Not classified Garcinogenicity : Not classified Garcinogenicity : Not classified Propan-2-ol (67-63-0) IARC group | LD50 oral rat | 1064 mg/kg | | |
| LD50 dermal > 2000 mg/kg bodyweight Skin corrosion/irritation : Not classified pH: 8.3 Serious eye damage/irritation : Causes serious eye irritation. pH: 8.3 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Garcinogenicity : Not classified Garcinogenic | Sodium laurylether (2,5 EO) sulphate (68891- | 38-3) | | |
| Skin corrosion/irritation : Not classified pht 8.3 Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell cell cell cell cell cell cell cel | LD50 oral | 4100 mg/kg bodyweight | | |
| Serious eye damage/irritation : Causes serious eye irritation. pht. 8.3 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified propan-2-ol (67-63-0) IARC group 3 - Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic = 6.794 mm²/s | LD50 dermal | > 2000 mg/kg bodyweight | | |
| Serious eye damage/irritation : Causes serious eye irritation. pH: 8.3 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified propan-2-ol (67-63-0) IARC group : Not classified Reproductive toxicity : Not classified propan-2-ol (67-63-0) IARC group : Not classified propan-2-ol (67-63-0) STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure : Not classified Propan-2-ol (67-63-0) STOT-repeated exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) : 250 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) : 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) : > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic | Skin corrosion/irritation : | | | |
| Germ cell mutagenicity : Not classified Carcinogenicity : Not classified propan-2-ol (67-63-0) IARC group 3 - Not classifiable Reproductive toxicity : Not classifiable Reproductive toxicity : Not classified STOT-single exposure : Not classified Propan-2-ol (67-63-0) STOT-single exposure | Serious eye damage/irritation : | Causes serious eye irritation. | | |
| Carcinogenicity : Not classified propan-2-ol (67-63-0) IARC group 3 - Not classifiable Reproductive toxicity : Not classified STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure May cause drowsiness or dizziness. STOT-repeated exposure Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic = 6.794 mm²/s acetic acid % (64-19-7) | Respiratory or skin sensitisation : | | | |
| propan-2-ol (67-63-0) IARC group 3 - Not classifiable Reproductive toxicity : Not classified propan-2-ol (67-63-0) STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | | | | |
| IARC group 3 - Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | | Not classified | | |
| Reproductive toxicity : Not classified STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure : May cause drowsiness or dizziness. STOT-repeated exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) | · · · · · · · · · · · · · · · · · · · | | | |
| STOT-single exposure : Not classified propan-2-ol (67-63-0) STOT-single exposure : May cause drowsiness or dizziness. STOT-repeated exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) | | | | |
| propan-2-ol (67-63-0) STOT-single exposure | -1 | | | |
| STOT-single exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | | Not classified | | |
| STOT-repeated exposure : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | | T., | | |
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | | | | |
| NOAEL (oral, rat, 90 days) 250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s | • | | | |
| Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents) acetic acid % (64-19-7) NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | | |
| NOAEL (oral, rat, 90 days) 290 mg/kg bodyweight Animal: rat, Animal sex: male Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | NOAEL (oral, rat, 90 days) | Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS | | |
| Sodium laurylether (2,5 EO) sulphate (68891-38-3) NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic: ≈ 6.794 mm²/s acetic acid % (64-19-7) | acetic acid % (64-19-7) | | | |
| NOAEL (oral, rat, 90 days) > 225 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic: ≈ 6.794 mm²/s acetic acid % (64-19-7) | NOAEL (oral, rat, 90 days) | 290 mg/kg bodyweight Animal: rat, Animal sex: male | | |
| Day Oral Toxicity in Rodents) Aspiration hazard : Not classified 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | Sodium laurylether (2,5 EO) sulphate (68891- | 38-3) | | |
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | NOAEL (oral, rat, 90 days) | | | |
| Viscosity, kinematic ≈ 6.794 mm²/s acetic acid % (64-19-7) | Aspiration hazard : | Not classified | | |
| acetic acid % (64-19-7) | 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | | |
| | Viscosity, kinematic | ≈ 6.794 mm²/s | | |
| Viscosity, kinematic 1.015 mm²/s | acetic acid % (64-19-7) | | | |
| | Viscosity, kinematic | 1.015 mm²/s | | |

11.2. Information on other hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Ecology - water No data available on ecotoxicity.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

| (chronic) | | | |
|---|---|--|--|
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | | |
| LC50 - Fish [1] | 1300 mg/l | | |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna | | |
| EC50 - Other aquatic organisms [1] | > 1000 mg/l waterflea | | |
| EC50 - Other aquatic organisms [2] | > 100 mg/l | | |
| EC50 96h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) | | |
| propan-2-ol (67-63-0) | | | |
| LC50 - Fish [1] | 9640 mg/l | | |
| LC50 - Fish [2] | 9640 mg/l Test organisms (species): Pimephales promelas | | |
| EC50 - Other aquatic organisms [1] | 13299 mg/l waterflea | | |
| EC50 - Other aquatic organisms [2] | > 1000 mg/l | | |
| Benzisothiazolinone (2634-33-5) | | | |
| LC50 - Fish [1] | 2.18 mg/l | | |
| EC50 - Crustacea [1] | 0.99 mg/l | | |
| EC50 - Other aquatic organisms [1] | 2.94 mg/l waterflea | | |
| EC50 - Other aquatic organisms [2] | 0.11 mg/l | | |
| acetic acid % (64-19-7) | | | |
| LC50 - Fish [1] | > 1000 mg/l | | |
| LC50 - Fish [2] | > 300.82 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | | |
| EC50 - Crustacea [1] | 65 mg/l | | |
| EC50 - Crustacea [2] | > 300.82 mg/l Test organisms (species): Daphnia magna | | |
| EC50 - Other aquatic organisms [1] | > 1000 mg/l waterflea | | |
| EC50 72h - Algae [1] | > 1000 mg/l Test organisms (species): Skeletonema costatum | | |
| EC50 72h - Algae [2] | > 300.82 mg/l Test organisms (species): Skeletonema costatum | | |
| Sodium laurylether (2,5 EO) sulphate (68891-38-3) | | | |
| LC50 - Fish [1] | > 1 mg/l | | |
| EC50 - Crustacea [1] | 7.2 mg/l Test organisms (species): Daphnia magna | | |
| EC50 - Crustacea [2] | 7.4 mg/l Test organisms (species): Daphnia magna | | |
| EC50 - Other aquatic organisms [1] | > 1 mg/l waterflea | | |
| EC50 - Other aquatic organisms [2] | > 10 mg/l | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Sodium laurylether (2,5 EO) sulphate (68891-38-3) | |
|---|---|
| EC50 72h - Algae [1] | 27 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 72h - Algae [2] | 27.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| NOEC (chronic) | 0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic fish | 0.14 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d' |

12.2. Persistence and degradability

| TOTAL INTERIOR SHAMPOO | |
|-------------------------------|--------------------|
| Persistence and degradability | No data available. |

12.3. Bioaccumulative potential

| OTAL INTERIOR SHAMPOO | | |
|---|--------------------|--|
| Bioaccumulative potential | No data available. | |
| 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.56 | |
| propan-2-ol (67-63-0) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.05 | |
| Benzisothiazolinone (2634-33-5) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.7 | |
| acetic acid % (64-19-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | -0.2 | |

12.4. Mobility in soil

| TOTAL INTERIOR SHAMPOO | | |
|------------------------|----------------|--------------------|
| | Ecology - soil | No data available. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : None known.

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

16/10/2023 (Issue date) EN (English) 10/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID | | |
|------------------------------|--|----------------|----------------|----------------|--|--|
| 14.1. UN number or ID n | 14.1. UN number or ID number | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.2. UN proper shippin | g name | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.3. Transport hazard o | class(es) | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.4. Packing group | 14.4. Packing group | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.5. Environmental hazards | | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| No supplementary information | No supplementary information available | | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : 0 %

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

BENZISOTHIAZOLINONE

| Labelling of contents | |
|--|---|
| Component | % |
| non-ionic surfactants, anionic surfactants <5% | |
| BENZISOTHIAZOLINONE | |
| perfumes | |

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

In accordance with EU Directive 1272/2008/EC Annex VI (2.2.5) this product will not sustain combustion and is not regarded as requiring a flammable warning.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Transport information.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| EUH208 | Contains BENZISOTHIAZOLINONE. May produce an allergic reaction. | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Liq. 2 | Flammable liquids, Category 2 | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| H225 | Highly flammable liquid and vapour. | |
| H226 | Flammable liquid and vapour. | |
| H302 | Harmful if swallowed. | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| H314 | Causes severe skin burns and eye damage. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H336 | May cause drowsiness or dizziness. | |
| H400 | Very toxic to aquatic life. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A | |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| Skin Sens. 1 | Skin sensitisation, Category 1 | |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis | |

Safety Data Sheet (SDS), EU

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.