



## Gorilla Glue

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name	Gorilla Glue
Synonyms	Prepolymer based on aromatic polyisocyanate; 4,4'-methylenediphenyl diisocyanate diphenylmethane-4,4'-diisocyanate
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
Unique Formula Identifier (UFI)	46K2-M0CT-N00U-7C4J

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Adhesives.
Uses Advised Against	Consumer spray application is not supported. Consumer applications that require heating above room temperature before or during use are not supported.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
Fax	Not known.
E-mail	Eucustomercare@gorillaglu.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	Gorilla Glue Europe Ltd
Address of Supplier	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
Fax	Not known.
E-mail	Eucustomercare@gorillaglu.com
Office hours	08:30 - 17:00

#### 1.4 Emergency telephone number



## Gorilla Glue

Emergency Phone No. +44 (0)843 507 1200  
Contact Stuart Shotton  
National response centre  
Address NHS Direct  
Emergency Phone No. +44 111

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Skin Irrit. 2 :Causes skin irritation.  
Skin Sens. 1 :May cause an allergic skin reaction.  
Eye Irrit. 2 :Causes serious eye irritation.  
Acute Tox. 4 :Harmful if inhaled.  
Resp. Sens. 1 :May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
STOT SE 3 :May cause respiratory irritation.  
Carc. 2 :Suspected of causing cancer.  
STOT RE 2 :May cause damage to organs through prolonged or repeated exposure.

#### 2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Gorilla Glue

Hazard Pictogram(s)



GHS08



GHS07

Signal Word(s) Danger

Hazard Statement(s)

H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.  
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335: May cause respiratory irritation.  
H351: Suspected of causing cancer.  
H373: May cause damage to organs through prolonged or repeated exposure.  
EUH204: Contains isocyanates. May produce an allergic reaction.



## Gorilla Glue

### Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.  
 P102: Keep out of reach of children.  
 P201: Obtain special instructions before use.  
 P260: Do not breathe vapour.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313: IF exposed or concerned: Get medical advice/attention.  
 P501: Dispose of contents in accordance with local, state or national legislation.

### 2.3 Other hazards

None known.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Prepolymer based on aromatic polyisocyanate	67815-87-6	642-899-8	30-50	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 STOT RE 2 H373	GHS08 GHS07
4,4'-methylenediphenyl diisocyanate	101-68-8	202-966-0	25-50	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 Carc. 2 H351	GHS08 GHS07



### Gorilla Glue

				STOT RE 2 H373	
Isocyanic acid, polymethylenepolyphenylene ester	9016-87-9	618-498-9	10-20	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 Carc. 2 H351 STOT RE 2 H373	GHS08 GHS07
o-(p-isocyanatobenzyl)phenyl isocyanate	5873-54-1	227-534-9	5-10	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 Carc. 2 H351 STOT RE 2 H373	GHS08 GHS07
2,2'-methylenediphenyl diisocyanate	2536-05-2	219-799-4	0.1-1	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Acute Tox. 4 H332 Resp. Sens. 1 H334 STOT SE 3 H335 Carc. 2 H351 STOT RE 2 H373	GHS08 GHS07
Isophthaloyl dichloride	99-63-8	202-774-7	0.1-1	Acute Tox. 4 H312 Skin Corr. 1A H314 Eye Dam. 1 H318 Acute Tox. 3 H331	GHS06 GHS05 GHS07

For full text of H/P Statements see section 16.

#### SECTION 4: FIRST AID MEASURES

##### 4.1 Description of first aid measures

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.



## Gorilla Glue

Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Get medical advice/attention if you feel unwell.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention.
Ingestion	Get medical advice/attention if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation. Allergic contact dermatitis.

### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Call a POISON CENTRE/doctor if you feel unwell. Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

### 5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including respiratory protection) during removal of spillages.

### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

### 6.3 Methods and material for containment and cleaning up

Absorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid breathing vapours. Use only outdoors or in a well-ventilated area. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate



**Gorilla Glue**

ventilation] wear respiratory protection. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

**7.2 Conditions for safe storage, including any incompatibilities**

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

**7.3 Specific end use(s)**

Adhesives.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Isocyanates, all (as -NCO) Except methyl isocyanate	101-68-8		0.02		0.07	Sen

Region                      Source  
 United Kingdom        UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark                    Notes  
 Sen                        Capable of causing occupational asthma.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
Isocyanates (applies to HDI, IPDI, TDI and MDI)	101-68-8	1 μ mol isocyanate-derived diamine/mol creatinine in urine	At the end of the period of exposure			
Isocyanates (applies to HDI, IPDI, TDI and MDI)	5873-54-1	1 μ mol isocyanate-derived diamine/mol creatinine in urine	At the end of the period of exposure			
Isocyanates (applies to HDI, IPDI, TDI and MDI)	2536-05-2	1 μ mol isocyanate-derived diamine/mol creatinine in urine	At the end of the period of exposure			

Remark                    Notes



## Gorilla Glue

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Where engineering controls are not fitted or inadequate wear suitable respiratory protective equipment. A suitable mask with filter type A (EN14387 or EN405) may be appropriate. PF200: 200 x Protection Factor



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Liquid.
	Colour : Dark brown.
Odour	Musty .
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	0° C
Initial boiling point and boiling range	208° C @ 1.013hPa
Flash Point	>205° C
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	1.14g/cm <sup>3</sup> @ 20° C
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Immiscible with water. Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.



## Gorilla Glue

Auto-ignition temperature	Not known.
Decomposition Temperature (° C)	Not known.
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

### 9.2 Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

None anticipated.

### 10.2 Chemical Stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

### 10.4 Conditions to avoid

None anticipated.

### 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 122222.22000
Acute toxicity - Inhalation	Calculation method : Harmful if inhaled. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 10.74000
Skin corrosion/irritation	Calculation method : Causes skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : May cause an allergic skin reaction.
Respiratory sensitization data	Calculation method : May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Suspected of causing cancer.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Not classified
STOT - single exposure	Calculation method : May cause respiratory irritation.





## Gorilla Glue

STOT - repeated exposure

Calculation method : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Calculation method : Not classified.

### 11.2 Other information

Not known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity - Aquatic invertebrates

Low toxicity to invertebrates.

Toxicity - Fish

Low toxicity to fish.

Toxicity - Algae

Low toxicity to algae.

Toxicity - Sediment Compartment

Not classified.

Toxicity - Terrestrial Compartment

Not classified.

### 12.2 Persistence and degradability

Part of the components is not biodegradable.

### 12.3 Bioaccumulative potential

The product has no potential for bioaccumulation.

### 12.4 Mobility in soil

Immiscible with water. The product is predicted to have low mobility in soil.

### 12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

### 12.6 Other adverse effects

Not known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

## SECTION 14: TRANSPORT INFORMATION

**Not classified as hazardous for transport.**

### 14.1 UN number

Not applicable



## Gorilla Glue

### 14.2 UN proper shipping name

Not applicable

### 14.3 Transport hazard class(es)

Not applicable

### 14.4 Packing group

Not applicable

### 14.5 Environmental hazards

Not classified as a Marine Pollutant.

### 14.6 Special precautions for user

Not known

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Not listed

Substances of Very High Concern for  
AuthorisationUK REACH Authorisation List (Annex Not listed  
XIV) list of substances subject to  
authorisationUK REACH Restrictions List (Annex 4,4'-Methylenediphenyl diisocyanate (101-68-8), 2,4'-Methylenediphenyl  
XIV) Restrictions on the manufacture, diisocyanate (5873-54-1), 2,2'-Methylenediphenyl diisocyanate (2536-05-2),  
placing on the market and use of certain Prepolymer based on aromatic polyisocyanate (67815-87-6), Isocyanic acid,  
dangerous substances, mixtures and polymethylenepolyphenylene ester (9016-87-9), Isophthaloyl dichloride (99-63-  
articles) 8)The Persistent Organic Pollutants Not listed  
Regulations 2007 (SI 2007/3106) as  
amendedThe Ozone-Depleting Substances and Not listed  
Fluorinated Greenhouse Gases  
(Amendment etc.) (EU Exit) Regulations  
2019 (SI 2019/583)The Prior Informed Consent (PIC) Not listed  
Regulations concerning the export and  
import of hazardous chemicals  
SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan 4,4'-methylenediphenyl diisocyanate (101-68-8)  
(CoRAP)

### 15.2 Chemical Safety Assessment



## Gorilla Glue

United Kingdom

A REACH chemical safety assessment has not been carried out.

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

#### LEGEND

Hazard Pictogram(s)



GHS08



GHS07

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

Hazard classification

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1A : Skin corrosion/irritation, Category 1A

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 3 : Acute toxicity, Category 3

Acute Tox. 4 : Acute toxicity, Category 4

Resp. Sens. 1 : Respiratory sensitization, Category 1

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Carc. 2 : Carcinogenicity, Category 2

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Hazard Statement(s)

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.



## Gorilla Glue

H335: May cause respiratory irritation.

H351: Suspected of causing cancer.

H373: May cause damage to organs through prolonged or repeated exposure.

EUH204: Contains isocyanates. May produce an allergic reaction.

### Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe vapour.

P261: Avoid breathing vapours.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P284: In case of inadequate ventilation wear respiratory protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P314: Get medical advice/attention if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P342+P311: If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

### Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

DNEL : Derived No Effect Level

EC : European Community



## Gorilla Glue

EINECS : European Inventory of Existing Commercial Chemical Substances

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.