



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

CONSTRUCTION PRODUCTS REGULATION

DECLARATION OF PERFORMANCE

No: FOREVER/1-CPR/ 2014

Substrate: Anodised Aluminium without primer

| | |
|--|---|
| 1. Identification Code | Foreverwhite; Codes: FOREVERWE/CLEAR/IV / EASIFOREVERWE |
| 2. Type, Batch and/or Serial Number | - For batch number - see packaging |
| 3. Intended use | Sealant for non-structural use in joints in buildings and pedestrian walkways Part 1: Sealants for Façade elements |
| 4. Manufacturer | Everbuild Building Products Ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW |
| 5. Authorised Representative | Not Applicable |
| 6. Assessment and Verification of Constancy of Performance | System 3 |
| 7. Notified Body and Tasks | Ginger CEBTP Notified Body No. 00074 |
| 8. European Technical Assessment | Not Applicable |
| 9. Declared Performance | TO EN15651-1 (2012) |
| Type | F EXT-INT-CC |
| Classification | F25LM |
| Reaction to Fire | Class E |



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

| | |
|---|----------|
| Loss of Volume ISO10563 | ≤10% |
| Resistance to flow ISO7390 | ≤3 mm |
| Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590 | NF |
| Adhesion/cohesion properties (-30°C) | ≤0.9 MPa |
| Durability ISO 8340, ISO 9047 and ISO 10590 | Pass |

Substrate: Anodised Aluminium without primer

| | |
|--|---|
| 1. Identification Code | Foreverwhite; Codes: FOREVERWE/CLEAR/IV / EASIFOREVERWE |
| 2. Type, Batch and/or Serial Number | - For batch number - see packaging |
| 3. Intended use | Sealant for non-structural use in joints in buildings and pedestrian walkways Part 3: Sealants for Sanitary elements |
| 4. Manufacturer | Everbuild Building Products Ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW |
| 5. Authorised Representative | Not Applicable |
| 6. Assessment and Verification of Constancy of Performance | System 3 |
| 7. Notified Body and Tasks | Ginger CEBTP Notified Body No. 00074 |
| 8. European Technical Assessment | Not Applicable |
| 9. Declared Performance | TO EN15651-3 (2012) |
| Type | S |
| Classification | XS1 |



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

| | |
|---|----------------|
| Reaction to Fire | Class E |
| Loss of Volume ISO10563 | ≤20% |
| Resistance to flow ISO7390 | ≤3 mm |
| Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590 | NF |
| Action of the microorganisms : Intensity of growth ISO 846, method B | 0 |
| Durability ISO 846, method B, ISO 8340, ISO 9047 and ISO 10590 | Pass |

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9 . The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: I. G. Southerington – Head of Technical

P.R. Thomas – Technical Manager

Dated: Leeds, 17/4/14