



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

CONSTRUCTION PRODUCTS REGULATION

DECLARATION OF PERFORMANCE

No JETCEM/1-CPR/2013

1. Identification Code	Jetcem Rapid Set Cement Codes: JETCEM2, JETCEM3, JETCEM6
2. Type, Batch and/or Serial Number	For batch number see packaging
3. Intended use	Concrete repair product for non- structural repair. CC Mortar (based on hydraulic cement) EN1504-3 Principle 3.1
4. Manufacturer	Everbuild Building Products Ltd, Site 41, Cross Green Industrial Estate, Knowsthorpe Way, Leeds, LS90SW, UK.
5. Authorised Representative	Not Applicable
6. Assessment and Verification of Constancy of Performance	System 2+
7. Notified Body and Tasks	BSI (0086) Initial inspection and ongoing surveillance of F.P.C. system Certificate of conformity reference 0086-CPD- 597711
8. European technical Assessment	Not applicable



Building & DIY Products You Can Trust

Site 41, Knowsthorpe Way,

Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024

e-mail: info@everbuild.co.uk

website: www.everbuild.co.uk

9. Declared Performance	EN1504-3 (2005)) Concrete repair product for non structural repair. CC mortar (based on hydraulic cement) Class R2
Compressive Strength	Class R4
Chloride ion content	≤ 0.05%
Adhesion strength by pull off test	≥ 1.5MPa
Restrained shrinkage/expansion	NPD
Carbonation resistance	NPD
Elastic Modulus	≥ 15GPa
Thermal Compatibility: Part 4 Dry Cycling	≥ 0.8MPa
Skid resistance	NPD
Coefficient of thermal expansion	NPD
Capillary Adsorption	≤ 0.5kg/m²h^{0.5}
Dangerous substances	Complies with 5.4
Reaction to Fire	Class A1

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9 . The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: I. G. Southerington - Technical Manager

Dated: Leeds, 1/7/201